

## REFERENCES

- (1.) Scoon, G.S., Hopkins, W.G. Mayhew S. & Cotter, J.D. Effect of post-exercise sauna bathing on the endurance performance of competitive male runners. *Journal of Science and Medicine in Sport / Sports Medicine Australia* 10, 259-262, doi:10.1016/j.jsams.2006.06.009 (2007)
- (2.) Ricardo J.S., Costa, M.J.C., Jonathan P. Moore & Neil P. Walsh. Heat acclimation responses of an ultra-endurance running group preparing for hot desert-based competition. *European Journal of Sport Science*, 1-11 (2011).
- (3.) Sawka, M.N., Wanger, C.B., Pandolf, K.B. Thermoregulatory responses to acute exercise-heat stress and heat acclimation. *Handbook of Physiology, Environmental Physiology* (2011)
- (4.) Garrett, A.T., Creasy R., Rehrer, N.J., Patterson, M.J. & Cotter, J.D. Effectiveness of short-term heat acclimation for highly trained athletes. *European Journal of Applied Physiology* 112, 1827-1837, doi:10.1007/s00421-011-2153-3 (2012).
- (5.) Nielsen, B., Hales, J.R.S., et al., Human circulatory and thermo-regulatory adaptations with heat acclimation and exercise in a hot, dry environment. *The Journal of Physiology*, 460 doi:10, 1113/jphysiol. (1993).
- (6.) Cotter, J.D., Patterson, M.J., Sweat distribution before and after repeated heat exposure. *European Journal of Applied Physiology and Occupational Physiology*. July 1997 Vol. – 76, Issue 2, pp 181-186.
- (7.) King, D.S., Costill, D.L., Fink, W.J., Hargreaves, M. & Fielding, R.A. Muscle metabolism during exercise in the heat in unacclimatized and acclimatized humans. *J Appl Physiol* 59, 1350-1354 (1985).
- (8.) Kirwan, J.P. et al. Substrate utilization in leg muscle of men after heat acclimation. *J Applied Physiol* (1985) 63, 31-35 (1987).
- (9.) Salo, D.C. Free Radical Biology and Medicine, Vol. 11 (1991) HSP70 and other possible heat shock or oxidative stress proteins are induced in skeletal muscle. (14 Nov. 1990)

- (10.) Kokura, S. et al. Whole body hyperthermia improves obesity-induced insulin resistance in diabetic mice. International journal of hyperthermia: the official journal of European Society for Hyperthermic Oncology North American Hyperthermia Group 23, 259-265 doi:10.1080/02656730601176824 (2007).
- (11). Hannuksela, M.L. & Ellahham, S. Benefits and risks of sauna bathing. The American Journal of Medicine 110, 118-126 (2001).
- (12). Kukkonen-Harjula, K. et al. Haemodynamic and hormonal responses to heat exposure in a Finnish sauna bath. European Journal of Applied Physiology and Occupational Physiology 58, 543-550 (1989).
- (13). Leppaluoto, J. et al. Endocrine effects of repeated sauna bathing. Acta physiologica Scandinavica 128, 467-470, doi: 10.1111/j.1748-1716.1986.tb08000.x (1986).
- (14). Selsby, J.T. et al. Intermittent hyperthermia enhances skeletal muscle regrowth and attenuates oxidative damage following re-loading. J Appl Physiol (1985) 102, 1702-1707  
Doi:10.1152/japplphysiol.007722.2006 (2007)
- (15). Naito, H. et al. Heat stress attenuates skeletal muscle atrophy in hindlimb- unweighted rats. J Appl Physiol 88, 359-363 (2001).
- (16). Loronzo,S, Minson, C.T., Bobb, T.G., Halliwill, JR Lactate threshold predicting time-tried performance: impact of heat acclimation. J. Appl. Physiology (1985) 2011 Jul.
- (17). Kregel, Kevin C. Heat shock proteins: modifying factors in physiological stress responses J Appl. Physiology 92 (2002)
- (18). Velloso, C.P. Regulation of muscle mass by growth hormone and IGF-I. British Journal of Pharmacology 154, 557-568,  
Doi:10.1038/bjp.2008.7.153 (2008).
- (19). Wigal S.B. et al. Catecholamine response to exercise in children with attention deficit hyperactivity disorder. Pediatric Research 53, 756-761, Doi:10.1203/01.PDR.0000061750. 71168.23 (2003).
- (20). Low, D., Purvis, A. Reilly, T., and Cable, N.T., The prolactin responses to active and passive heating in man. Exp. Physiol 90.6 pp. 909-917 (2005).

- (21). Liu, X.L. et al. (Therapeutic effect of whole body hyperthermia combined with chemotherapy in patients with advanced cancer). Zhong nan da xue xue bao. Yi xue ban. Journal of Central South Universityiy, Medical Sciences 31, 350-352 (2006).
- (22). Narita, M. et al. Heterologous mu-opiod receptor adaption by repeated stimulation of kappa-opiod receptor: up-regulation of G-protein activation An antinociception. Journal of Neurochemistry 85, 1171-1179 (2003).
- (23). Yamada, P.M., Amorim, F.T., Moseley P., Robergs, R. & Schneider, S.M. Effect of heat acclimation on heat shock protein 72 and interleukin-10 in humans. J Appl Physiol (1985) 103,1196-1204, Doi:10.1152/japplphysiol.00232.2007 (2007).
- (24). Moseley, P.L. Heat shock proteins and heat adaptation of the whole organism. J Appl Physiol (1985) 83,1413-1417 (1997).
- (25). Kuennen, M. et al. Thermotolerance and heat acclimation may share a common mechanism in humans. American Journal of Physiology. Regulatory, Integrative and Comparative Physiology 301, R524-533, Doi:10.1152/ajpregu.00039.2011 (2011)
- (26). Holloszy, J.O. Biomechanical adaptations in muscle. Journal of Biological Chemistry (1967)
- (27). Rudman, D, Feller, A.G. Effects of human growth hormone in men over 60 years old. New England Journal of Medicine, Vol. 323, July 1990
- (28). Healy M. L. et al. High dose growth hormone exerts an anabolic effect at rest and during exercise in endurance-trained athletes. The Journal of Clinical Endocrinology and Metabolism 88, 5221-5226 (2003).
- (29). McArdle, W.D. Katch, F.I, Exercise Physiology, Sixth Edition (2007).
- (30). Sakuma, K and Yamaguchi, A., The recent understanding of the neurotrophins role in skeletal muscle adaptation, Journal of Biomedicine and Biotechnology, Vol. 2011.
- (31). Casa, DJ, Exercise in the Heat II. Journal of Athletic Training (1999): 34 (3) 253-262

- (32). Casa DJ., Exercise in the Heat I. *Journal of Athletic Training* (1999): 34 (3) pp. 246-252
- (33). Lorenzo, S. Halliwill, J., Sawka, M Heat acclimation improves exercise performance *Journal of Applied Physiology* (Oct 2010) Vol 109, No. 4
- (34). Cheung, S.S., McLellan, T.M., Heat acclimation, aerobic fitness , and hydration effects on tolerance during uncompensable heat stress. *Journal of Applied Physiology* (1998) Vol. 84, no 5.
- (35). Shwartz, B., Shapiro, Y. et al Heat acclimation physical fitness and responses to exercise in temperate and hot environments. Heller Institute of Medical Research, Israel (1976).
- (36). Lundgren, J., Smith, M.L., Blennow, G. & Siesjo, B.K. Hyperthermia aggravates and hypothermia ameliorates epileptic brain damage. *Experimental brain research. Experimentelle Hirnforschung. Experimentation cerebrale* 99, 43-55 (1994).
- (37). Khazaeli, A.A., Tatar, M., Pletcher, S.D. & Curtsinger, J.W. Heat-induced longevity extension in *Drosophila*.I. Heat treatment, mortality and thermotolerance. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences* 52, B48-52 (1997).
- (37.5) Lithgow, G.J., White, T.M. Melov, S. & Johnson, T.E. Thermotolerance and extended life span conferred by single-gene mutations and induced by thermal stress. *Proceedings of the National Academy of Sciences of the United States of America* 92. 7540-7544 (1995)
- (38). Tatar, M., Khazaeli, A.A. & Curtsinger, J.W. Chaperoning extended life. *Nature* 390, 30, Doi:10.1038/36237 (1997).
- (39). Singh, R. et al. Anti-inflammatory heat shock protein 70 genes are positively associated with human survival. *Current Pharmaceutical Design* 16, 796-801 (2010)
- (40). Habash, R.W.Y, Bansal, R, et al, Thermal Therapy, Part I: An Introduction to Thermal Therapy, *Critical Reviews in Biomedical Engineering*, 34 (6) 459-489 (2006)
- (41). Sato, F., Owen, M. et al, Functional and morphological changes in the eccrine sweat gland with heat acclimation. *Journal of Applied Physiol.*, Vol. 69, No. 1. (July 1990).

- (42). Korthuis, R.J. *Skeletal Muscle Circulation*, Morgan & Claypool Life Sciences (2011).
- (43). Gordon, R., Spector, S. et. al, Increased synthesis of norepinephrine and epinephrine in the intact rat during exercise and exposure to cold, *Journal of Pharmacology and Experimental Therapeutics*, September 1966, Vol. 153, No. 3, 440-447.
- (44). Michlovitz, S. Hun, L., Erasala, G., Hengehold, D., Weingand, K., Continuous low level heat wrap therapy is effective for treating wrist pain. *Archives of Physical Med. and Rehabilitation*, Vol 85, Issue 9 (Sept. 2004) Pages 1409-1416.
- (45). Rowell, Loring B., Human Cardiovascular Adjustments to Exercise and Thermal Stress, *Physiological Reviews*, Vol. 54, No.1, 1974 (January)
- (46). Van Praag, H., Christie, B. et al., Running enhances neurogenesis, learning and long-term potentiation in mice, *Proceedings of the National Academy of Sciences*, Vol. 96, no. 23 (1999).
- (47). Goekint, M., Roelands, B., Heyman, E., Njemini, R. & Meeusen, R. Influence of citalopram and environmental temperature on exercise-induced changes in BDNF. *Neuroscience letters* 494, 150-154, doi:10.1016/j.neulet.2011.03.001 (2011).
- (48). Laatikainen, T., Salminen, K., Kohvakka, A. & Pettersson, J., Response of plasma endorphins, prolactin and catecholamines in women to intense heat in sauna, *European Journal of Applied Physiology and Occupational Physiology*, 1988, Vol. 57, Issue 1, pp 98-102.
- (49). Wikipedia, The Free Encyclopedia
- (50). Hawley, J. Exercise as a therapeutic intervention for the prevention and treatment of insulin resistance.
- (51). Irrehir Adhiketty Joseph Regulation of mitochondrial biogenesis in muscle by endurance exercise
- (52). Konstam, M.A. Effect of exercise on erythrocyte count *Circulation* 1982;66:638-642.

- (53). Kelley, D.B., Goodpaster, B. Skeletal muscle fatty acid metabolism in association with insulin resistance, obesity and weight loss, American Journal of Physiology Vol 277, Dec. 1, 1999.
- (54). The American College of Sports Medicine and American Diabetes Association Joint Position Statement Exercise and Type 2 Diabetes, Diabetes Care, Vol. 33, No. 12, pp. e147-e167(Dec. 2010) .
- (55). Biolo, G., Maggi, S.P., et al., Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans, American Journal of Physiology, Endocrinology and Metabolism, March 1, 1995, Vol. 268, No. 3, E514-E520.
- (56). Pratley, R., Nicklas, B., Rubin, M, et al. Strength training increases resting metabolic rate and norepinephrine levels in healthy 50 to 65 year old men, Journal of Applied Physiology, Pub. 1 January (1994), Vol. 76, no. 1. 133-137.
- (57). Spina, R.J., Chi, M.M., Mitochondrial enzymes increase in muscles in response to cycle exercise
- (58). Zamora, AJ, Tessler, F, et al, Mitochondria changes in human muscle after prolonged exercise, endurance training and selenium supplementation, European Journal Appl. Physiology, 71(6): 505-511 (1995).
- (59). Egan, B. Zierath, J.R., Exercise metabolism and the molecular regulation of skeletal muscle adaptation Cell Metabolism Review
- (60). Mercola, Joseph, Physical exercise boosts your brainpower in 20 minutes Peak Fitness (Mercola.com) May 18, 2012.
- (61). Servais, S., Couturier, K., et al. Effect of voluntary exercise on H<sub>2</sub>O<sub>2</sub> release by subsarcolemmal and intermyofibrillar mitochondria, Free Radical Biology and Medicine, Vol. 35, Issue 1, (July, 2003).
- (62). Redberg, R. Health benefits of sauna bathing, JAMA Int. Med. 2015; 175(4) 548.
- (63). Laukkanen, T. Association between sauna bathing and Feb. 23, 2015.
- (64). Sawicka, A., Brzostek, T., Effects of sauna bath on cardiovascular system, Medical Rehabilitation 2007, 11(1).

- (65). Dudnik Glazachev, O.S., Effects of integrated polysensory recovery treatment, Human Physiology, 2009 Vol. 35.
- (66). Dergacheva, L.N., Novikova, S.J., Evaluation of effectiveness of physical therapy capsules
- (67). Masuda, A., Koga, Y., The effects of thermal therapy chronic pain, Physiother. Psych. 2005; 74(5):288-94.
- (68). Vigas, M., Celko, J., Role of body temp. in exercise-induced growth hormone and prolactin release, Endocrine Reg., Vol. 34 (2000).
- (69). Nurmikko, T., Hietaharju, A., Effect of exposure to sauna heat on neuropathic and rheumatic pain. Pain, 1992, 49 (43-51).
- (70). Leppaluoto, J., Some cardiovascular and metabolic effects of Acta Physiol. Scandi 1986. Sept; 128 (1) 77-81.
- (71). Mayer JM, Ralph L, Look M, Erasala GN, Verna JL, Matheson LN, Mooney, V. Treating acute low back pain with continuous low-level heat wrap therapy and/or exercise: a randomized controlled trial. The Spine Journal Vol. 5, Issue 4, July-August 2005, Pages 395-403.
- (71.5). French SD, Cameron M, Walker BF, Reggars JW, Esterman AJ. Superficial heat or cold for low back pain. Cochrane Database Syst Rev 2006;(1):CD004750.
- (72). Henricson, A., Fredriksson, K., Persson, I., Pereira, R., Rostedt, Y., Westlin, N., Journal of Orthopaedic & Sports Physical Therapy, 1984, Volume: 6 Issue: 2, Pages 110 – 115.
- (73). Nadler SF, Steiner DJ, Erasala GN, Hengehold DA, Abeln SB, Weingand KW. Continuous low-level heat wrap therapy for treating acute nonspecific low back pain. Arch Phys Med Rehabil 2003;84:329-34.
- (74). Nadler SF, Steiner DJ, Erasala GN, Hengehold DA, Hinkle R, Beth Goodale M, et al. Continuous low-level heat wrap therapy provides more efficacy than ibuprofen and acetaminophen for acute low back pain. Spine 2002;27:1012-7.

- (74). Benson, Herbert, 1975 (2001). *The Relaxation Response*. HarperCollins.
- (75). Seidell JC, Cigolini M, Deslypere JP, et al. Body fat distribution in relation to physical activity and smoking habits in 38-year-old European men. The European Fat Distribution Study. *Am J Epidemiol* 1991;133:257-65.
- (76). Tremblay A, Despres JP, Leblanc C, et al. Effect of intensity of physical activity on body fatness and fat distribution. *Am J Clin Nutr* 1990;51:153-7.
- (77). Slattery ML, McDonald A, Bild DE, et al. Associations of body fat and its distribution with dietary intake, physical activity, alcohol, and smoking in blacks and whites. *Am J Clin Nutr* 1992;55:943-9.
- (78). Maiorana A, O'Driscoll G, Taylor R, et al. Exercise and the nitric oxide vasodilator system. *Sports Med* 2003;33:1013-35.
- (79). Blair SN, Goodyear NN, Gibbons LW, et al. Physical fitness and incidence of hypertension in healthy normotensive men and women. *JAMA* 1984;252:487-90.
- (80). American College of Sports Medicine. Position stand: Physical activity, physical fitness, and hypertension. *Med Sci Sports Exercise* 1 1993;25:i-x.
- (81). Paffenbarger RS Jr, Jung DL, Leung RW, et al. Physical activity and hypertension: an epidemiological view. *Ann Med* 1991;23:319-27.
- (82). Paffenbarger RS Jr, Wing AL, Hyde RT, et al. Physical activity and incidence of hypertension in college alumni. *Am Epidemiol* 1983;117:245-57.
- (83). Roberts, C., Vaziri, N. and Barnard, J., Effect of diet and exercise intervention on blood pressure, insulin, oxidative stress, and nitric oxide availability, *Circulation*. 2002; 106:2530-2532.
- (84). Cotman, C., Berchtold, N., Christie, L., Exercise builds brain health:key roles of growth factor cascades and inflammation: *Trends in Neurosciences* 30 (2007) 9, 464-472.
- (85). Hillman, C., Erickson, K. and Kramer, A., Be smart, exercise your heart: exercise effects on brain and cognition, *Nature Reviews Neuroscience* 9, 58-65 (Jan. 2008).
- (86). Ferris, L., Williams, J. and Shen, C., The effect of acute exercise on serum brain-derived neurotrophic factor levels and cognitive function, *Sports & Exercise* (Impact Factor:4.46) 04/2007; 39(4):728-34.

- (87). Erickson, K. , et al, Exercise training increases size of hippocampus and improves memory, PNAS, Feb. 15, 2011, Vol. 108, No. 7., 3017 – 3022.
- (88). Warburton, D., Nicol, C., Bredin, S., Health benefits of physical activity:the evidence, CMAJ, March 14, 2006; 174(6):801-9.
- (89). Atalay, M. et al, Exercise training modulates heat shock protein response in diabetic rats, Journal of Applied Physiology, Vol. 97.
- (90). Rasmussen, P. et al, Evidence for release of BDNF from the brain during exercise, Experimental Physiology, Vol. 94, Issue 10, pp. 1062-1069 (Oct. 2009).
- (91). Neilsen, B., Strange, S., Acute and adaptive responses in humans to exercise in a warm, humid environment,
- (92). Brenner I.K.M., et al, The impact of heat exposure and repeated exercise on circulating stress hormones, European Journal of Applied Physiology and Occupational Physiology, Oct. 1997, Vol. 76, Issue 5, pp. 445-454
- (93). Ftaiti, F., et al, Effect of hyperthermia and physical activity
- (94). Louard, R.J., et al, Insulin sensitivity
- (95). Yenari, M.A., et al, The neuroprotective potential for heat shock protein 70 (HSP70), Mol. Med. Today, 1999 Dec.: 535-31
- (96). Isao Shimokawa, Toshimitsu Komatsu, Nobutaka Hayashi, Sang-Eun Kim, Takuya Kawata, Seongjoon Park, Hiroko Hayashi, Haruyoshi Yamaza,\* Takuya Chiba and Ryoich, The life-extending effect of dietary restriction requires Foxo3 in mice, Aging Cell, 2015 Mar 23.
- (97). Patrick, R., Effects of sauna use on longevity (2015).
- (98). Heinonen I, Kallikoski KK, Hannukainen JC, Duncker DJ, Nuutila P, Knuuti J (November 2014). "Organ-Specific Physiological Responses to Acute Physical Exercise and Long-Term Training in Humans". *Physiology (Bethesda)* **29** (6): 421–436. doi:10.1152/physiol.00067.2013. PMID 25362636.
- (99). Bekinschtein P, Cammarota M, Katche C, Slipczuk L, Rossato JI, Goldin A et al. (February 2008). "BDNF is essential to promote persistence of long-term memory storage". *Proc. Natl. Acad. Sci. U.S.A.* **105** (7): 2711–6. doi:10.1073/pnas.0711863105. PMC 2268201. PMID 18263738.